

Ceramic Self-aligning Ball Bearings

Bearing No.	Boundary dimensions (mm)				Mounting dimensions(mm)			Weight (Kg)	
	ré:	RÉ:	B	r min	da(min)	Da(max)	ra(max)	ZR02	SI3N4
135CE	5	19	6	0.3	7	17	0.3	0.007	0.004
126CE	6	19	6	0.3	8	17	0.3	0.007	0.004
127CE	7	22	7	0.3	9	20	0.3	0.011	0.006
108CE	8	22	7	0.3	10	20	0.3	0.011	0.006
129CE	9	26	8	0.6	13	22	0.6	0.017	0.009
1200CE	10	30	9	0.6	14	26	0.6	0.026	0.014
2200CE	10	30	14	0.6	14	26	0.6	0.036	0.019
1300CE	10	25	11	0.6	14	31	0.6	0.045	0.024
2300CE	10	25	17	0.6	14	31	0.6	0.065	0.035
1201CE	12	32	10	0.6	16	28	0.6	0.031	0.016
2201CE	12	32	14	0.6	16	28	0.6	0.041	0.022
1301CE	12	37	12	1	17	32	1	0.052	0.027
2301CE	12	37	17	1	17	32	1	0.073	0.039
1202CE	15	35	11	0.6	19	31	0.6	0.038	0.02
2202CE	15	35	14	0.6	19	31	0.6	0.046	0.025
1302CE	15	42	13	1	20	37	1	0.072	0.039
2302CE	15	42	17	1	20	37	1	0.088	0.047
1203CE	17	40	12	0.6	21	36	0.6	0.056	0.03
2203CE	17	40	16	0.6	21	36	0.6	0.068	0.036
1303CE	17	47	14	1	22	42	1	0.1	0.053
2303CE	17	47	19	1	22	42	1	0.12	0.065
1204CE	20	47	14	1	25	42	1	0.09	0.049
2204CE	20	47	18	1	25	42	1	0.11	0.057
1304CE	20	52	15	1.1	26.5	45.5	1	0.13	0.067
1304CE	20	52	21	1.1	26.5	45.5	1	0.16	0.086
1205CE	25	52	15	1	30	47	1	0.11	0.058
2205CE	25	52	18	1	30	47	1	0.13	0.067

Ceramic Self-aligning Ball Bearings

1305CE	25	62	17	1.1	31.5	55.5	1	0.2	0.11
2305CE	25	62	24	1.1	31.5	55.5	1	0.26	0.14
1206CE	30	62	16	1	35	57	1	0.17	0.09